
PCN Number: 15/2021
Title: CoaXPress Cables Design Change
Product Family: Basler Premium CoaXPress Cables
Release date: November 15, 2021
Contact: Basler Support
Type of Change:
 Miscellaneous **Firmware** **PC Software**
 Product design **Process**

Reason for Change

The CoaXPress Premium Cables are subject of a mechanical design change. Reason are improvements of the longterm Basler supply chain from manufacturer to our customers with the focus on quality, stability and supply reliability.

The compatibility of the cables with our CoaXPress cameras remains the same.

Change Description

The main changes are:

- the connector changes
- the raw cable becomes thinner. Due to this, the minimum bending radius of the new cable design improves significantly.

Currently, only the 3m and 5m version receive a design change. Longterm, also the 10m Basler Premium CoaXPress Cable (2200000321) is expected to switch to the new design. This will be published in a separate PCN.

For detailed changes please refer to the table on the next page.

Basler AG
Europe, Middle East, Africa
Tel. +49 4102 463 515
Fax +49 4102 463 599
support.europe@baslerweb.com
www.baslerweb.com

The Americas
Tel. +1 610 280 0171
Fax +1 610 280 7608
support.usa@baslerweb.com

Asia-Pacific Region
Tel. +65 6367 1355
Fax +65 6367 1255
support.asia@baslerweb.com

PRODUCT CHANGE NOTIFICATION (PCN)

Specifications	New Design	Old Design
Picture		
Cable Diameter	4.3 mm	8.1 mm
Cable Cross-Section	0.269 - AWG-23	6 x 0.25 mm ² (near 6 x AWG 24)
Cable Shielding	Aluminum-Mylar-Tape	Tinned braided copper
Jacket	PVC	PUR, black, halogen-free
Min Bending Radius	20 mm	77 mm
Operating Specifications	-20 - 60°C	-30 - 60 °C (-22 – 140 °F)

Affected models and expected first production / shipping date

Model	Part Number	Rev.	Production /shipping Date
Cable CXP, Micro-BNC x2 (HD-BNC), 3 m	2200000320	02	February 2022
Cable CXP, Micro-BNC x2 (HD-BNC), 5 m	2200000321	02	February 2022

Customized products based on the same product model might be affected, please contact the Basler Support for clarification.

Basler AG
Europe, Middle East, Africa
Tel. +49 4102 463 515
Fax +49 4102 463 599
support.europe@baslerweb.com
www.baslerweb.com

The Americas
Tel. +1 610 280 0171
Fax +1 610 280 7608
support.usa@baslerweb.com

Asia-Pacific Region
Tel. +65 6367 1355
Fax +65 6367 1255
support.asia@baslerweb.com

Additional Information

Basler may make changes to specifications and product descriptions at any time, without notice. The information in this document is subject to change without notice.

There is no claim to exchange or update the stock or the delivered goods due to the PCN. This applies to customer inventories as well as Basler's own inventory. Also there is no claim to receive the old revision after change.

Basler AG
Europe, Middle East, Africa
Tel. +49 4102 463 515
Fax +49 4102 463 599
support.europe@baslerweb.com
www.baslerweb.com

The Americas
Tel. +1 610 280 0171
Fax +1 610 280 7608
support.usa@baslerweb.com

Asia-Pacific Region
Tel. +65 6367 1355
Fax +65 6367 1255
support.asia@baslerweb.com